Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method comprising:

performing a first [[an]] encoding transformation on a set of data representing a video frame as frame-based data and as field based data to generate an array arrays of frame-based coefficient data-and arrays of field-based data;

performing a second encoding transformation on the set of data representing the video frame as field-based data to generate an array of field-based coefficient data;

determining a number of non-zero coefficients within the array of the frame-based data;

determining a number of non-zero coefficients within the array for the field-based data;

selecting either the <u>array</u> arrays of frame-based data or <u>the array of</u> field-based data based, at least in part, on the number of non-zero coefficients in the frame-based data and the field-based data; and

converting an ordering of the arrays of selected data.

- 2. (Currently Amended) The method of claim 1 wherein the <u>first</u> encoding transformation <u>and the second encoding transformation</u> [[is]] <u>each comprise</u> a discrete cosine transform (DCT) operation.
- 3. (Currently Amended) The method of claim 2 wherein <u>each</u> [[the]] encoding transformation further comprises quantization of results of the DCT operation.
- 4. (Original) The method of claim 1 wherein selecting either the arrays of frame-based data or field-based data based, at least in part, on the number of non-zero coefficients in the frame-based data and the field-based data comprises:

comparing a macroblock of frame-based data to a macroblock of field-based data; and

selecting the macroblock of data having the fewer number of non-zero coefficients.

5. (Original) The method of claim 1 wherein converting an ordering of the arrays of frame-based data coefficients and of the arrays of field-based data coefficients comprises performing a zig-zag conversion wherein an 8x8 matrix having an original order of:

Application No. 10/041,750 Amendment dated November 10, 2005 Response to Advisory Action of September 10, 2005

0	1	2	3	4	5	6	7
8	9	10	11	12	13	14	15
16	17	18	19	20	21	22	23
24	25	26	27	28	29	30	31
32	33	34	35	36	37	38	39
40	41	42	43	44	45	46	47
48	49	50	51	52	53	54	55
56	57	58	59	60	61	62	63

are converted to having a scanning order of:

6. (Currently Amended) An article of manufacture comprising electronically-accessible medium to provide instructions that, when executed, by one or more processors, cause one or more electronic systems to:

perform a first [[an]] encoding transformation on a set of data representing a video frame as frame-based data and as field-based data to generate an array arrays of frame-based coefficient data-and arrays of field-based data;

perform a second encoding transformation on the set of data representing the video frame as field-based data to generate an array of field-based coefficient data;

Atty. Docket No. 4860P2739 Examiner An, Shawn S. TC/A.U. 2613

Application No. 10/041,750 Amendment dated November 10, 2005 Response to Advisory Action of September 10, 2005

determine a number of non-zero coefficients within the array of the frame-based data;

determine a number of non-zero coefficients within the array for the field-based data;

select either the <u>array</u> arrays of frame-based data or <u>the array of</u> field-based data based, at least in part, on the number of non-zero coefficients in the frame-based data and the field-based data; and

convert an ordering of the arrays of selected data.

- 7. (Currently Amended) The article of claim 6 wherein the instructions that cause the one or more electronic systems to perform encoding transformation comprise instructions that, when executed, cause the one or more electronic systems to perform a first discrete cosine transform (DCT) operation on the data representing the video frame to generate the frame-based data and a second DCT operation on the data representing the video frame to generate the field-based data.
- 8. (Original) The article of claim 7 wherein the instructions that cause the one or more electronic systems to perform encoding transformation further comprises instructions that, when executed, cause the one or more electronic systems to perform quantization of results of the DCT operation operations.
- 9. (Original) The article of claim 6 wherein the instructions that cause the one or more electronic systems to select either the arrays of frame-based data or field-

based data based, at least in part, on the number of non-zero coefficients in the framebased data and the field-based data comprises instructions that, when executed, cause the one or more electronic systems to:

compare a macroblock of frame-based data to a macroblock of field-based data; and

select the macroblock of data having the fewer number of non-zero coefficients.

10. (Original) The article of claim 6 wherein the instructions that cause the one or more electronic systems to convert an ordering of the arrays of frame-based data coefficients and of the arrays of field-based data coefficients comprises instructions that, when executed, cause the one or more electronic systems to perform a zig-zag conversion wherein an 8x8 matrix having an original order of:

are converted to having a scanning order of:

0	1	5	6	14	15	27	28
2	4	7	13	16	26	29	42
3	8	12	17	25	30	41	43
9	11	18	24	31	40	44	53
10	19	23	32	39	45	52	54
20	22	33	38	46	51	55	60
21	34	37	47	50	56	59	61
35	36	48	49	57	58	62	63

11. (Currently Amended) An apparatus comprising:

means for performing <u>a first</u> [[an]] encoding transformation on a set of data representing a video frame as frame-based data and as field-based data to generate <u>an</u> array arrays of frame-based coefficient data and arrays of field-based data;

means for performing a second encoding transformation on the set of data representing the video frame as field-based data to generate an array of field-based coefficient data;

means for determining a number of non-zero coefficients within the array of the frame-based data;

means for determining a number of non-zero coefficients within the array for the field-based data;

means for selecting either the <u>array arrays</u> of frame-based data or <u>the array of</u> field-based data based, at least in part, on the number of non-zero coefficients in the frame-based data and the field-based data; and

means for converting an ordering of the arrays of selected data.

Atty. Docket No. 4860P2739 Examiner An, Shawn S. TC/A.U. 2613

Application No. 10/041,750 Amendment dated November 10, 2005 Response to Advisory Action of September 10, 2005

- 12. (Currently Amended) The apparatus of claim 11 wherein the means for encoding transformation performs a <u>first</u> discrete cosine transform (DCT) operation <u>on</u> the data representing the video frame to generate the frame-based data and a second DCT operation on the data representing the video frame to generate the field-based data.
- 13. (Currently Amended) The apparatus of claim 12 wherein the means for encoding transformation further comprises means for quantization of results of the DCT operation operations.
- 14. (Original) The apparatus of claim 11 wherein the means for selecting either the arrays of frame-based data or field-based data based, at least in part, on the number of non-zero coefficients in the frame-based data and the field-based data comprises:

means for comparing a macroblock of frame-based data to a macroblock of field-based data; and

means for selecting the macroblock of data having the fewer number of non-zero coefficients.

15. (Original) The apparatus of claim 11 wherein the means for converting an ordering of the arrays of frame-based data coefficients and of the arrays of field-based data coefficients comprises means for performing a zig-zag conversion wherein an 8x8 matrix having an original order of:

-9-

Application No. 10/041,750 Amendment dated November 10, 2005 Response to Advisory Action of September 10, 2005

0	1	2	3	4	5	6	7
8	9	10	11	12	13	14	15
16	17	18	19	20	21	22	23
24	25	26	27	28	29	30	31
32	33	34	35	36	37	38	39
40	41	42	43	44	45	46	47
48	49	50	51	52	53	54	55
56	57	58	59	60	61	62	63

are converted to having a scanning order of:

0	1	5	6	14	15	27	28
2	4	7	13	16	26	29	42
3	8	12	17	25	30	41	43
9.	11	18	24	31	40	44	53
10	19	23	32	39	45	52	54
20	22	33	38	46	51	55	60
21	34	37	47	50	56	59	61
35	36	48	49	57	58	62	63